

Message

From: Jeff.Keiser@CH2M.com [Jeff.Keiser@CH2M.com]
Sent: 6/17/2015 9:34:21 PM
To: Berkoff, Michael [berkoff.michael@epa.gov]
Subject: RE: Allied Landfill Reuse Presentation for 11 am

Michael, the information they used appears to be from our reports and is consistent with the current TM. I believe they are overstating the areas available for redevelopment, A2 at Monarch and A3 around the landfill seem high, we may need a buffer area around portions of the landfill for gw monitoring etc. Also need to key in the geotextile and various cap layers. Also may need some area around Monarch as floodplain. Not sure it needs to be revised now, but we will be taking some of these areas as we design the project.

No real red flags.

JK

Jeff Keiser
 Senior Project Manager
 D 1 414 847 0382
 M 1 414 467 4893
 E www.jkeiser@ch2m.com

CH2M
 135 S 84th Street, Suite 400
 Milwaukee, WI 53214

From: Berkoff, Michael [mailto:berkoff.michael@epa.gov]
Sent: Wednesday, June 17, 2015 1:50 PM
To: Rohde, Beth/MKE; Keiser, Jeff/MKE
Subject: FW: Allied Landfill Reuse Presentation for 11 am

Any red flags here?

From: Matt Robbie [mailto:mrobbie@skeo.com]
Sent: Tuesday, June 16, 2015 4:23 AM
To: Berkoff, Michael; Bloom, Thomas; Russell, Diane
Cc: Miranda Maupin
Subject: Allied Landfill Reuse Presentation for 11 am

Hi Michael, Tom and Diane,

Please find the attached presentation for discussion during our 11 am (CT) conference call on Tuesday 6/16. We have incorporated the revisions that we discussed last week. I look forward to walking through the revised document today. During the call, we can discuss timing for additional comments (in case you all would like more time to review), finalizing the slides and maps before I hand it off to Michael.

Looking forward to our discussion and your input. Thank you.

Matt Robbie
 Senior Planner, Community Planning & Revitalization Group
 Skeo Solutions | www.skeo.com
 434.975.6700 x278